

## 兔抗 UBR5 多克隆抗体

- 中文名称: 兔抗 UBR5 多克隆抗体
- 英文名称: Anti-UBR5 rabbit polyclonal antibody
- 别名: DD5; EDD; HYD; EDD1
- 相关类别: 一抗
- 储存: 冷冻 (-20℃) 避光
- 抗 原: UBR5
- 宿 主: Rabbit
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a progestin-induced protein, which b elongs to the HECT (homology to E6-AP carboxyl termi nus) family. The HECT family proteins function as E3 ub iquitin-protein ligases, targeting specific proteins for ubi quitin-mediated proteolysis. This gene is localized to ch romosome 8q22 which is disrupted in a variety of canc ers. This gene potentially has a role in regulation of cel I proliferation or differentiation.
Applications:	WB, IHC
Name of antibody:	UBR5
Immunogen:	Synthesized peptide derived from Internal of human ED



	D.
Full name:	ubiquitin protein ligase E3 component n-recognin 5
Synonyms :	DD5; EDD; HYD; EDD1
SwissProt:	O95071
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	309 kDa
WB Positive control:	A549 cells lysate
WB Recommended dilution:	500-3000





