

兔抗 C1QBP 多克隆抗体

- 中文名称: 兔抗 C1QBP 多克隆抗体
- 英文名称: Anti-C1QBP rabbit polyclonal antibody
- 别 名: p32; HABP1; gC1qR; GC1QBP; SF2p32; gC1Q-R
- 抗原: C1QBP
- 储存: 冷冻(-20℃) 避光
- 宿 主: Rabbit
- 反应种属: Human
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: Unconjugate

技术规格

Background:	The human complement subcomponent C1q associates with C1r and C1s in order to yield the first component of the serum complement system. The protein encode d by this gene is known to bind to the globular heads of C1q molecules and inhibit C1 activation. This protei n has also been identified as the p32 subunit of pre- mRNA splicing factor SF2, as well as a hyaluronic acid- binding protein.
Applications:	WB, IHC
Name of antibody:	C1QBP
Immunogen:	Synthesized peptide derived from internal of human C 1QBP.
Full name:	complement component 1, q subcomponent binding p



全国订货电话 4008-723-722

	rotein
Synonyms :	p32; HABP1; gC1qR; GC1QBP; SF2p32; gC1Q-R
SwissProt:	Q07021
IHC positive control:	Human tonsil tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	31 kDa
WB Positive control:	Jurkat cells, K562 cells and Huvec cells lysates
WB Recommended dilution:	500-3000



