

兔抗 HDAC7(Phospho-Ser155) 多克隆抗体

- 中文名称: 兔抗 HDAC7(Phospho-Ser155) 多克隆抗体
- 英文名称: Anti-HDAC7(Phospho-Ser155) rabbit polyclonal antibody
- 别名: HD7A; HDAC7A
- 相关类别: 一抗
- 储存: 冷冻(-20℃) 避光
- 宿 主: Rabbit
- 抗原: HDAC7(Phospho-Ser155)
- 反应种属: Human Mouse
- 标记物: Unconjugate
- 克隆类型: Unconjugate

技术规格

Background:	Histones play a critical role in transcriptional regulation, cell cycl e progression, and developmental events. Histone acetylation/de acetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene has se quence homology to members of the histone deacetylase family . This gene is orthologous to mouse HDAC7 gene whose protei n promotes repression mediated via the transcriptional corepres sor SMRT. Alternatively spliced transcript variants encoding diffe rent isoforms have been found for this gene. [provided by RefS eq, Jul 2008]
Applications:	WB
Name of antibody:	HDAC7(Phospho-Ser155)
Immunogen:	Peptide sequence around phosphorylation site of Serine 155(T-V





	-S(p)-E-P) derived from Human HDAC7A.
Full name:	histone deacetylase 7
Synonyms :	HD7A; HDAC7A
SwissProt:	Q8WUI4
WB Predicted band size :	103 kDa
	Hela cells lysates
WB Recommended dilut ion:	500-1000

