

兔抗 F5(Coagulation factor V heavy chain) 多克隆抗体

- 中文名称: 兔抗 F5(Coagulation factor V heavy chain)多克隆抗体
- 英文名称: Anti-F5(Coagulation factor V heavy chain) rabbit polyclonal antibody
- 别 名: coagulation factor V; FVL; PCCF; THPH2; RPRGL1
- 抗 原: F5(Coagulation factor V heavy chain)
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主 : Rabbit
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes an essential cofactor of the bloo d coagulation cascade. This factor circulates in plas ma, and is converted to the active form by the rele ase of the activation peptide by thrombin during co agulation. This generates a heavy chain and a light chain which are held together by calcium ions. The activated protein is a cofactor that participates with activated coagulation factor X to activate prothrombi n to thrombin. Defects in this gene result in either an autosomal recessive hemorrhagic diathesis or an autosomal dominant form of thrombophilia, which is
-------------	--



	known as activated protein C resistance.
Applications:	ELISA, IHC
Name of antibody:	F5(Coagulation factor V heavy chain)
Immunogen:	Synthetic peptide of human F5(Coagulation factor V heavy chain)
Full name:	coagulation factor V
Synonyms:	FVL; PCCF; THPH2; RPRGL1
SwissProt:	P12259
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	20-100

