

兔抗 H1-8 多克隆抗体

- 中文名称：兔抗 H1-8 多克隆抗体
- 英文名称：Anti-H1-8 rabbit polyclonal antibody
- 别名：H1.8 linker histone; H1.8; H1oo; osH1; H1FOO
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：H1-8
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. The protein encoded is a replication-independent histone that is a member of the histone H1 family. This gene contains introns, unlike most histone genes. The related mouse gene is expressed only in oocytes. [provided by RefSeq, Oct

	2015]
Applications:	ELISA, IHC
Name of antibody:	H1-8
Immunogen:	Synthetic peptide of human H1-8
Full name:	H1.8 linker histone
Synonyms:	H1.8; H1oo; osH1; H1FOO
SwissProt:	Q8IZA3
IHC positive control:	Human tonsil and Human esophagus cancer
IHC Recommend dilution:	30-150



