

兔抗 CALB2 多克隆抗体

| | |
|-------|---------------------------------------|
| 中文名称: | 兔抗 CALB2 多克隆抗体 |
| 英文名称: | Anti-CALB2 rabbit polyclonal antibody |
| 别名: | CR; CAL2; CAB29 |
| 抗原: | CALB2 |
| 储存: | 冷冻 (-20℃) |
| 宿主: | Rabbit |
| 相关类别: | 一抗 |
| 反应种属: | Human, Mouse, Rat |
| 标记物: | Unconjugate |
| 克隆类型: | rabbit polyclonal |

技术规格

| | |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | This gene encodes an intracellular calcium-binding protein belonging to the troponin C superfamily. Members of this protein family have six EF-hand domains which bind calcium. This protein plays a role in diverse cellular functions, including message targeting and intracellular calcium buffering. It also functions as a modulator of neuronal excitability, and is a diagnostic marker for some human diseases, including Hirschsprung disease and some cancers. Alternative splicing results in multiple transcript variants. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | CALB2 |
| Immunogen: | Synthetic peptide of human CALB2 |
| Full name: | calbindin 2 |

| | |
|------------------------------------|-------------------------|
| Synonyms : | CR; CAL2; CAB29 |
| SwissProt: | P22676 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human colorectal cancer |
| IHC Recommend dilution: | 10-50 |
| WB Predicted band size: | 32 kDa |
| WB Positive control: | 293T cell |
| WB Recommended dilution: | 200-1000 |



